

Reflection Riding 2017 Spring Native Plant Sale

Exposure

○ = full sun

● = shade

◐ = partial shade

Moisture

D = dry

M = medium

W = wet

Soil

P = poor

A = average

G = good

Bloom Period

Sp = spring

S = summer

F = fall




































Wildlife























🦋 = attracts insect pollinators



🐦 = attracts hummingbirds



🐦 = attracts birds

| COMMON NAME | BOTANICAL NAME | ZONE | EXP. | WATER | SOIL | HEIGHT | BLOOM | COLOR | WILDLIFE | FRAME # |
|----------------------------|-------------------------------------|------|------|-------|------|--------|-------|---------------------|----------|---------|
| Wildflowers | | | | | | | | | | |
| Allegheny Monkey Flower | <i>Mimulus ringens</i> | 4-9 | ○◐ | W | A | 2-4' | S | Violet | 🦋 | |
| Alumroot | <i>Heuchera americana</i> | 3-9 | ◐ | M-D | A-P | 1-2' | Sp | White | 🦋 | |
| Alumroot, Maple-leaf | <i>Heuchera villosa</i> | 5-8 | ●◐ | M-D | A-P | 1-2' | S | White | 🦋 | |
| Aster, Aromatic | <i>Symphyotrichum oblongifolium</i> | 3-7 | ○◐ | M-D | A-P | 1-2' | F | Blue | 🦋 | |
| Aster, New England | <i>Symphyotrichum novae-angliae</i> | 3-8 | ○◐ | M-W | A-G | 3-4' | F | Purple | 🦋 | |
| Aster, Smooth Blue | <i>Symphyotrichum leave</i> | 4-8 | ○◐ | M | A | 2-3' | F | Blue | 🦋 | |
| Aster, Stokes' | <i>Stokesia laevis</i> | 5-8 | ◐○ | M | A | 1-2' | S | Blue or White | 🦋 | |
| Beardtongue, Calico | <i>Penstemon calycosus</i> | 5-8 | ○◐ | M-W | A-G | 2-4' | S | Blue, Pink, White | 🦋🐦 | |
| Beardtongue, Foxglove | <i>Penstemon digitalis</i> | 4-9 | ◐○ | M-D | A-P | 1-3' | S | White | 🦋🐦 | |
| Beardtongue, Showy | <i>Penstemon cobaea</i> | 5-8 | ○ | M-D | A | 1-2' | Sp | White, Pink, Violet | 🦋🐦 | |
| Beardtongue, Small's | <i>Penstemon smallii</i> | 6-8 | ◐○ | M-D | A-P | 1-2' | Sp | Purple | 🦋🐦 | |
| Bee Balm, Red | <i>Monarda didyma</i> | 3-9 | ○◐ | M | A | 3-4' | S | Red | 🦋🐦 | |
| Bishop's Cap | <i>Mitella diphylla</i> | 3-7 | ●◐ | M-W | G | 10" | Sp | White | | |
| Blazing Star, Dense | <i>Liatris spicata</i> | 3-8 | ○ | M | A | 2-4' | S | Pink-purple | 🦋 | |
| Blazing Star, Dense, White | <i>Liatris spicata var. alba</i> | 3-8 | ○ | M | A | 2-4' | S | White | 🦋 | |
| Blazing Star, Meadow | <i>Liatris ligulistylis</i> | 4-8 | ○ | M | A | 3-5' | S | Purple | 🦋🐦🐦 | |
| Bleeding Heart | <i>Dicentra eximia</i> | 3-9 | ◐ | M | A-G | 12-18" | Sp-S | Pink | | |
| Blue-eyed Grass | <i>Sisyrinchium angustifolium</i> | 4-9 | ○ | M | A | 10-18" | Sp-S | | | |
| Blue Mistflower | <i>Conoclinium coelestinum</i> | 4-9 | ○◐ | M-W | A-P | 2' | S | Blue | 🦋 | |
| Blue Star | <i>Amsonia tabernaemontana</i> | 3-8 | ○◐ | M | A | 3' | Sp | Blue | 🦋 | |
| Blue Star, Arkansas | <i>Amsonia hubrichtii</i> | 5-9 | ○◐ | M | A | 3' | Sp | Blue | 🦋 | |
| Butterfly Weed | <i>Asclepias tuberosa</i> | 3-9 | ○ | M-D | A-P | 1-3' | S | Yellow, Orange, Red | 🦋 | |
| Cardinal Flower | <i>Lobelia cardinalis</i> | 4-9 | ○◐ | M-W | A-G | 3-5' | S-F | Red | 🦋🐦 | |
| Celandine Poppy | <i>Stylophorum diphyllum</i> | 5-7 | ● | M | A-G | 1-2' | Sp | Yellow | | |
| Coneflower, Great | <i>Rudbeckia maxima</i> | 3-9 | ○◐ | M | A | 6' | S | Yellow | 🦋🐦 | |
| Coneflower, Orange | <i>Rudbeckia fulgida</i> | 3-9 | ○ | M-D | A | 2-3' | S-F | Orange-Yellow | 🦋🐦 | |
| Coneflower, Pale Purple | <i>Echinacea pallida</i> | 4-8 | ○ | D | P | 3-5' | S | Pink | 🦋🐦 | |
| Coneflower, Prairie | <i>Ratibida pinnata</i> | 5-9 | ○ | M-D | A-P | 3-6' | S | Yellow | 🦋🐦 | |
| Coneflower, Purple | <i>Echinacea purpurea</i> | 3-9 | ○ | M-D | A | 3-4' | S | Purple | 🦋🐦🐦 | |
| Coneflower, Sweet | <i>Rudbeckia subtomentosa</i> | 4-8 | ○◐ | M | A | 3-5' | S-F | Yellow | 🦋🐦 | |
| Coreopsis, Lanceleaf | <i>Coreopsis lanceolata</i> | 4-9 | ○ | M | A | 3' | Sp-S | Yellow | 🦋 | |
| Coreopsis 'Moonbeam' | <i>Coreopsis verticillata</i> | 3-9 | ○ | M-D | A-P | 1-2' | S | Yellow | 🦋 | |
| Culver's Root | <i>Veronicastrum virginicum</i> | 3-8 | ○ | M-W | A | 3-6' | Sp-S | White | 🦋 | |
| Cup Plant | <i>Silphium perfoliatum</i> | 3-9 | ○ | M-W | A-G | 4-8' | S | Yellow | 🦋🐦 | |
| False Aloe | <i>Manfreda virginica</i> | 6-9 | ○◐ | D | A-P | 3-6' | S | Yellow-green | | |

| COMMON NAME | BOTANICAL NAME | ZONE | EXP. | WATER | SOIL | HEIGHT | BLOOM | COLOR | WILDLIFE | FRAME # |
|----------------------------|---|------|------|--------------|------|--------|-------|----------------|---|---------|
| Fameflower | <i>Phemeranthus calycinus</i> | 5-9 | ○ | M-D | A-P | 5-9" | S | Magenta | | |
| Foamflower | <i>Tiarella cordifolia</i> | 3-8 | ● | M | A-G | 6-10" | Sp | White | | |
| Foamflower, 'Brandywine' | <i>Tiarella cordifolia</i> var. <i>cordifolia</i> | 3-8 | ● | M | A-G | 6-10" | Sp | White | | |
| Goat's Beard | <i>Aruncus dioicus</i> | 3-7 | ◐● | M | G | 3-5' | S | White |  | |
| Golden Alexanders | <i>Zizia aurea</i> | 3-8 | ○◐ | M | A-G | 2-3' | Sp | Yellow |  | |
| Goldenrod, Anise-scented | <i>Solidago odora</i> | 4-8 | ○ | M-D | A | 2-3' | S | Yellpw |  | |
| Goldenrod, Stiff | <i>Solidago rigida</i> | 3-9 | ○ | M-D | A-P | 3-5' | F | Yellow |  | |
| Green and Gold | <i>Cheysogonum virginianum</i> | 5-9 | ◐● | M-W | A-G | 4" | Sp | Yellow | | |
| Hepatica, Sharp-lobed | <i>Hepatica nobilis</i> var. <i>acuta</i> | 3-8 | ◐● | M | G | 3-6" | Sp | White | | |
| Hyssop, Anise | <i>Agastache foeniculum</i> | 3-9 | ○◐ | M-D | A | 2-4' | S-F | Blue-violet |  | |
| Hyssop, Purple Giant | <i>Agastache scrophulariifolia</i> | 3-8 | ○ | M | A | 4-6' | S-F | Lavender |  | |
| Hyssop, Yellow Giant | <i>Agastache nepetoides</i> | 4-9 | ○◐ | M-D | A | 2-3' | S-F | White |  | |
| Indian Physic | <i>Gillenia stipulata</i> | 4-9 | ◐● | M-D | A | 2-3' | S | White | | |
| Iris, Dwarf Crested | <i>Iris cristata</i> | 3-8 | ●◐ | M | A-G | 6-10" | Sp | Blue | | |
| Iris, Dwarf Crested, White | <i>Iris cristata</i> | 3-8 | ●◐ | M | A-G | 6-10" | Sp | White | | |
| Iris, Northern Blue Flag | <i>Iris versicolor</i> | 3-9 | ○◐ | M-W | A | 2' | Sp | Blue | | |
| Ironweed, Narrow-leaf | <i>Vernonia angustifolia</i> | 7-9 | ○ | M-D | A | 4-6' | S | Purple |  | |
| Ironweed, Tennessee | <i>Vernonia flaccidifolia</i> | 5-8 | ○◐ | M-D | A | 4-6' | S | Purple |  | |
| Jacob's Ladder | <i>Polemonium reptans</i> | 3-8 | ◐ | M | A-G | 1' | Sp | Blue | | |
| Joe Pye Weed 'Gateway' | <i>Eutrochium maculatum</i> | 4-8 | ○ | M-W | A-G | 4-5' | S | Mauve/Pink |  | |
| Joe Pye Weed, Spotted | <i>Eutrochium maculatum</i> | 4-8 | ○ | M-W | A-G | 4-7' | S | Mauve/Pink |  | |
| Joe Pye Weed, Sweet | <i>Eutrochium purpureum</i> | 4-9 | ○◐ | M | A | 5-7' | S | Mauve/Pink |  | |
| Joe Pye Weed, Trumpet | <i>Eutrochium fistulosum</i> | 4-10 | ○◐ | M | A | 6-10' | S | Mauve/Pink |  | |
| Lady Fern | <i>Athyrium felix-femina</i> | 4-8 | ◐● | M | A-G | 1-3' | N/A | N/A | | |
| Larkspur, Tall | <i>Delphinium exaltatum</i> | 5-7 | ○ | M-D | A-P | 2-3' | Sp | Blue |  | |
| Lobelia, Great Blue | <i>Lobelia siphilitica</i> | 6-9 | ○◐ | M-W | A | 2-3' | S-F | Blue |  | |
| Maryland Goldenaster | <i>Cheysopsis mariana</i> | 5-9 | ○ | M-D | A | 2' | S-F | Yellow |  | |
| Meadow Rue | <i>Thalictrum dasycarpum</i> | 4-7 | ○◐ | M | A-G | 3-5' | Sp | Purple-White | | |
| Milkweed, Common | <i>Asclepias syriaca</i> | 4-9 | ○ | M-W | A-P | 3-5' | S | Light Pink |  | |
| Milkweed, Swamp | <i>Asclepias incarnata</i> | 3-7 | ○ | M-W | A | 3-5 | S | Pink |  | |
| Mountain Mint, Appalachian | <i>Pycnanthemum flexuosum</i> | 6-8 | ○◐ | M-D | A | 3' | S | White |  | |
| Mountain Mint, Hoary | <i>Pycnanthemum incanum</i> | 4-8 | ○◐ | M-D | A | 2-3' | S | White |  | |
| Mountain Mint, Narrow-leaf | <i>Pycnanthemum tenuifolium</i> | 4-9 | ○ | M-D | A-P | 2-4' | S | White to pink |  | |
| Mountain Mint, Short Tooth | <i>Pycnanthemum muticum</i> | 4-8 | ○◐ | M | A-G | 3' | S | Pink |  | |
| Mountain Mint, Virginia | <i>Pycnanthemum virginianum</i> | 3-7 | ○ | M | A | 3' | S | White-Lavender |  | |
| Onion, Nodding | <i>Allium cernuum</i> | 3-9 | ○◐ | Well drained | P | 1' | S | Pink |  | |
| Onion, Prairie | <i>Allium stellatum</i> | 3-8 | ○◐ | Well drained | P | 1-1.5 | S | Pink |  | |
| Phlox, Blue | <i>Phlox divaricata</i> | 3-8 | ● | M | A-G | 6-12" | Sp | Blue |  | |
| Phlox, Garden (Summer) | <i>Phlox paniculata</i> | 3-9 | ○ | M | G | 3-5' | S | Pink |  | |
| Poppy Mallow, Fringed | <i>Callirhoe digitata</i> | 4-9 | ○ | Well drained | A | 3-5' | S | Deep rose |  | |
| Prairie Clover, Purple | <i>Dalea purpurea</i> | 2-9 | ○ | M | A | 6" | S | Purple | | |
| Prairie Dock | <i>Silphium terebinthinaceum</i> | 3-9 | ○ | M | A | 3-10' | S | Yellow |  | |
| Pussy-toes, Solitary | <i>Antennaria solitaria</i> | 3-8 | ◐ | D | P | 4-5" | Sp | White |  | |
| Rattlesnake Master | <i>Eryngium yuccifolium</i> | 4-9 | ○ | Well drained | A-P | 3-4' | S | White |  | |
| Rose Mallow | <i>Hibiscus moscheutos</i> | 5-9 | ○ | M-W | A | 5-7' | S | White |  | |
| Rose Mallow, Scarlet | <i>Hibiscus coccineus</i> | 6-9 | ○◐ | M-W | A | 3-6' | S | Scarlet |  | |
| Rose Verbena | <i>Glandularia canadensis</i> | 5-9 | ○ | M-D | A | 6-18" | Sp-S | Pink-Purple |  | |
| Rosinweed | <i>Silphium integrifolium</i> | 4-8 | ○ | M | A | 3-6' | S | Yellow |  | |

| COMMON NAME | BOTANICAL NAME | ZONE | EXP. | WATER | SOIL | HEIGHT | BLOOM | COLOR | WILDLIFE | FRAME # |
|------------------------------|-----------------------------------|------|------|-----------------|------|-----------|-------|-----------------------------|---|---------|
| Shuttleworth's Ginger | <i>Hexastylus shuttleworthii</i> | 6-8 | ◐● | M | G | 4-6" | Sp | Brown | | |
| Spiderwort, Zig-zag | <i>Tradescantia, subaspera</i> | 5-9 | ◐● | M | A | 2-3' | Sp-S | Blue/Lav |  | |
| Stonecrop, Allegheny | <i>Hylotelephium telephiodes</i> | 4-9 | ○◐ | M, Well drained | P | 8-16" | S-F | Pink |  | |
| Stonecrop, Woodland | <i>Sedum ternatum</i> | 4-8 | ◐ | M | A | 3-4" | Sp | White |  | |
| Sunflower, Maximilian | <i>Helianthus maximiliani</i> | 4-9 | ○ | M-D | A | 3-9' | S | Yellow |  | |
| Sunflower, Narrow-leaf | <i>Helianthus angustifolius</i> | 5-9 | ○◐ | M-W | A | 5-9' | F | Yellow |  | |
| Sunflower, Sawtooth | <i>Helianthus grosseserratus</i> | 4-9 | ○◐ | M-W | A | 6-8' | S-F | Yellow |  | |
| Sweetflag, American | <i>Acorus americanus</i> | 3 | ○ | W | A | 1-4' | S | Yellow-green | | |
| Tassel Rue | <i>Trautvetteria carolinensis</i> | 5-8 | ◐● | M-W | G | 2-4' | S | White | | |
| Thimbleweed | <i>Anemone virginiana</i> | 2-9 | ●○ | M-D | A | 2-3' | S | White | | |
| Turtlehead, Pink | <i>Chelone lyonii</i> | 3-7 | ◐ | M-W | A-G | 3' | S-f | Pink |  | |
| Turtlehead, White | <i>Chelone glabra</i> | 3-9 | ○◐ | M-W | A | 3' | S-F | White |  | |
| Wild Bergamot | <i>Monarda fistulosa</i> | 5-9 | ○ | M-D | A-P | 2-3' | S | Lavender-Pink |  | |
| Wild Columbine | <i>Aquilegia canadensis</i> | 3-9 | ◐ | M-D | A-P | 1-4 | Sp | Red & Yellow |  | |
| Wild Geranium | <i>Geranium maculatum</i> | 4-7 | ●◐ | M | A-G | 12-18" | Sp | Purple |  | |
| Wild Ginger | <i>Asarum canadense</i> | 4-7 | ●◐ | M | G | 6" | Sp | Brown | | |
| Wild Indigo, Blue | <i>Baptisia australis</i> | 4-9 | ○ | M-D | A | 3-5' | Sp | Blue | | |
| Wild Indigo, White | <i>Baptisia alba</i> | 4-8 | ○ | M-D | A | 3-4' | Sp | White | | |
| | | | | | | | | | | |
| Grasses and Sedges | | | | | | | | | | |
| Silver Sedge 'Blue Satin' | <i>Carex platyphylla</i> | 4-8 | ●◐ | M | A-G | 8" | Sp | Broad Green Blades | | |
| Bluestem, Big | <i>Andropogon gerardii</i> | 4-9 | ○ | M-D | A | 4-6' | F | Purplish Red | | |
| Bluestem, Bushy | <i>Andropogon glomeratus</i> | 5-9 | ○ | M-W | A-P | 3-6' | F | White | | |
| Bluestem, Little | <i>Schizachyrium scoparium</i> | 3-9 | ○ | M-D | A-P | 2-3' | F | Bronze | | |
| Blue Wood Sedge | <i>Carex flaccosperma</i> | 4-9 | ●◐ | M | A-G | 8" | Sp | Broad Bluish Blades | | |
| Pennsylvania Sedge | <i>Carex pennsylvanica</i> | 4-7 | ●◐ | M | A | 6" | Sp | Fine Green Blades | | |
| Pink Muhly Grass | <i>Muhlenbergia capillaris</i> | 5-9 | ○ | M-D | A | 2-3' | S | Pink | | |
| Plume Grass, Silver | <i>Erianthus alopecuroides</i> | 6-10 | ○ | M-D | A | 4-10' | S-F | White | | |
| Prairie Dropseed | <i>Sporobolus heterolepis</i> | 4 | ○◐ | M-D | A | 15" | S | Orange fall color |  | |
| Prairie Junegrass | <i>Koeleria macrantha</i> | 4 | ○ | Well drained | A | 2' | S | Silvery-green seedheads |  | |
| River Oats | <i>Chasmanthium latifolium</i> | 4-9 | ◐ | M-W | A-G | 3' | S | Broad Decorative Seed Heads | | |
| Seersucker Sedge | <i>Carex plantaginea</i> | 4-8 | ●◐ | M | A | 8" | Sp | Broad Blades | | |
| Sideoats Grama | <i>Bouteloua curtipendula</i> | 4-9 | ○ | M-D | A | 18-30" | S | Purplish Infl. |  | |
| Spreading Sedge 'Bunny Blue' | <i>Carex laxiculmis</i> | 4-9 | ●◐ | M | A-G | 8" | Sp | Broad Bluish Blades | | |
| Switch Grass | <i>Panicum virgatum</i> | 3-9 | ○ | M-D | A-P | 4-8' | S | Pinkish |  | |
| Vines | | | | | | | | | | |
| Carolina Jessamine | <i>Gelsemium sempervirens</i> | 6-9 | ◐○ | M-D | A-P | 10-20' | S | Yellow |  | |
| Dutchman's Pipe | <i>Aristolochia mocrphylla</i> | 4-8 | ●○ | M | A | Up to 65' | Sp | Brown-Burgundy |  | |
| Honeysuckle, Coral | <i>Lonicera sempervirens</i> | 4-9 | ◐○ | M | G | 15' | Sp | Coral |  | |
| Honeysuckle 'John Clayton' | <i>Lonicera sempervirens</i> | 4-9 | ◐○ | M | G | 15' | Sp | Yellow |  | |
| Honeysuckle, Yellow | <i>Lonicera flava</i> | 5-8 | ○◐ | M | A | 10-20' | Sp | Yellow |  | |
| Hydrangea, Climbing | <i>Decumaria barbara</i> | 6-9 | ◐● | M | G | 10-30' | Sp-S | White | | |
| Leather Vase Vine | <i>Clematis viorna</i> | 6-9 | ◐ | M | G | 4-10' | S | Red |  | |
| Passion Flower | <i>Passiflora incarnata</i> | 5-9 | ○◐ | M | A | 6-8' | S | White w/Purple Crown |  | |
| Pipe Vine | <i>Aristolochia tomentosa</i> | 4-9 | ●○ | M | A | 6-40' | Sp | Green-Brown |  | |

| COMMON NAME | BOTANICAL NAME | ZONE | EXP. | WATER | SOIL | HEIGHT | BLOOM | COLOR | WILDLIFE | FRAME # |
|--|--|------|------|-------------------|--------|--------|-------|-----------------------------------|---|---------|
| Shrubs and Trees | | | | | | | | | | |
| Alabama Snowwreath | <i>Neviusia alabamensis</i> | 4-8 | ○● | M | A | 3-6' | Sp | White | | |
| Azalea, Flame | <i>Rhododendron calendulaceum</i> | 5-7 | ◐ | M | Acidic | 6-10' | Sp | Yellow-Orange-Red | | |
| Azalea, Pinxterbloom | <i>Rhododendron periclymenoides</i> | 6-9 | ◐ | M | Acidic | 6-8' | Sp | Pink |  | |
| Azalea, Swamp | <i>Rhododendron viscosum</i> | 6-9 | ◐ | W | Acidic | 6-8' | S | White |  | |
| Azalea, Swamp "Summer Eyelet" | <i>Rhododendron viscosum</i> | 6-9 | ◐ | W | Acidic | 6-8' | S | White |  | |
| Beautyberry, White | <i>Callicarpa americana</i> var. <i>alba</i> | 7-10 | ◐○ | M | A-G | 4-6' | S | White Fruit |  | |
| Black Tupelo | <i>Nyssa sylvatica</i> | 3-9 | ◐○ | M-W | A | 30-50' | Sp | GreenishWhite |  | |
| Buckeye, Bottlebrush | <i>Aesculus parviflora</i> | 4-8 | ○◐ | M | A-G | 10' | S | White |  | |
| Buckeye, Red | <i>Aesculus pavia</i> | 4-8 | ◐○ | M | A | 10-15' | Sp | Red |  | |
| Buttonbush | <i>Cephalanthus occidentalis</i> | 4-10 | ○◐ | M-W | A | 3-8' | S | White |  | |
| Chokeberry, Black | <i>Aronia melanocarpa</i> | 3-8 | ◐○ | Wet to dry | A | 3-8' | Sp | White |  | |
| Chokeberry, Red | <i>Aronia arbutifolia</i> | 4-9 | ◐○ | M-W | A-G | 8-10' | Sp | White |  | |
| Crab Apple, Sweet | <i>Malus coronaria</i> | 4-7 | ○◐ | M | A | 15-25' | Sp | Pink |  | |
| Diervilla, Mountain | <i>Diervilla rivularis</i> | 4-8 | ○◐ | M-D | A-P | 3-5' | S | Yellow |  | |
| Dog Hobble | <i>Leucothoe fontanesiana</i> | 6-8 | ◐● | M-W | A | 6' | Sp | White |  | |
| Florida Anise Tree | <i>Illicium floridanum</i> | 7-10 | ◐● | M-W | A-G | 6-10' | S | Dark Red | | |
| Franklin Tree | <i>Franklinia alatamaha</i> | 6-9 | ◐● | M | Acidic | 15-20' | S | White | | |
| Hearts-a-Bustin | <i>Euonymus americanus</i> | 5-9 | ◐● | M | A | 5-6' | S | Cream Flowers, Showy Red Fruit | | |
| Hickory, Shellbark | <i>Carya laciniosa</i> | 5-8 | ○◐ | M-W | A | 60-80' | Sp | Large Nuts in Fall |  | |
| Hop Tree | <i>Ptelea trifoliata</i> | 4-9 | ◐● | M-D | A | 15-20' | S | Greenish White |  | |
| Hydrangea 'Annabelle' | <i>Hydrangea arborescens</i> | 4-9 | ◐● | M | A | 2-4' | S | White |  | |
| Hydrangea, Ashy | <i>Hydrangea cinerea</i> | 5-9 | ◐● | M | A | 3-5' | S | White |  | |
| Hydrangea, Oakleaf | <i>Hydrangea quercifolia</i> | 5-9 | ◐● | M-W | A-G | 5-8' | S | White |  | |
| Hydrangea, Wild | <i>Hydrangea arborescens</i> | 4-9 | ◐● | M | A | 2-4' | S | White |  | |
| Magnolia, Sweetbay | <i>Magnolia virginiana</i> | 4-9 | ● | M | A-G | 20-30' | S | Creamy White |  | |
| Mountain Witchalder | <i>Fothergilla major</i> | 4-8 | ○◐ | M | A | 6-10' | Sp | White | | |
| Mountain Witchalder 'Mt. Airy' | <i>Fothergilla major</i> | 4-8 | ○◐ | M | A | 6-10' | Sp | White | | |
| New Jersey Tea | <i>Ceanothus americanus</i> | 4-9 | ○ | M-D | A-P | 3-4' | S | White |  | |
| Rhododendron, Great Laurel | <i>Rhododendron maximum</i> | 3-7 | ◐● | M (good drainage) | Acidic | 5-15' | S | White |  | |
| Rose, Climbing Prairie (Thornless, female) | <i>Rosa setigera</i> | 5-8 | ○◐ | M | A | 6-12' | S | Pink |  | |
| Rose, Climbing Prairie (male) | <i>Rosa setigera</i> | 5-8 | ○◐ | M | A | 6-12' | S | Pink |  | |
| Rose, Virginia | <i>Rosa virginiana</i> | 3-8 | ○ | M-W | A-G | 3-5' | Sp | Pink |  | |
| Saint-John's Wort, Shrubby | <i>Hypericum prolificum</i> | 4-8 | ○◐ | M-D | A-P | 3-6' | S | Yellow |  | |
| Spicebush | <i>Lindera benzoin</i> | 4-9 | ●◐ | M-W | A-G | 6-12' | Sp | Yellow, Red Fruit |  | |
| Strawberry, Wild | <i>Fragaria virginiana</i> | 5-9 | ○◐ | M | A-G | 3-4'' | Sp | White |  | |
| Sumac, Fragrant | <i>Rhus aromatica</i> | 3-9 | ○◐ | M-D | A | 6-8' | Sp | Yellow | | |
| Summersweet | <i>Clethra alnifolia</i> | 4-9 | ◐○ | M-W | A-G | 4-9' | S | White |  | |
| Sweetshrub | <i>Calycanthus floridus</i> | 4-9 | ●◐ | M | A-G | 4-10' | Sp | Maroon | | |
| Tulip Poplar | <i>Liriodendron tulipifera</i> | 4-9 | ○◐ | M | A | 60-90' | Sp | Yellow and Orange |  | |
| Tulip Poplar, 'Humphrey's House' | <i>Liriodendron tulipifera</i> | 4-9 | ○◐ | M | A | 60-90' | Sp | Yellow and Orange |  | |
| Viburnum, Maple-leaf | <i>Viburnum acerifolium</i> | 3-9 | ○● | M-D | A | 3-6' | Sp | White, Blue berries |  | |

| COMMON NAME | BOTANICAL NAME | ZONE | EXP. | WATER | SOIL | HEIGHT | BLOOM | COLOR | WILDLIFE | FRAME # |
|------------------------------|----------------------------------|------|------|-------|------|--------|-------|---------------|---|---------|
| Virginia Sweetspire | <i>Itea virginica</i> | 5-9 | ◐ ○ | M-W | A | 4-7' | Sp | White |  | |
| Virginia Sweetspire 'Merlot' | <i>Itea virginica</i> | 5-9 | ◐ ○ | M-W | A | 4-7' | Sp | White |  | |
| Yellowroot | <i>Xanthorhiza simplicissima</i> | 3-9 | ● ◐ | M-W | A-G | 12-18" | Sp | Brown | | |
| Yellowwood, American | <i>Cladrastis kentukea</i> | 4-8 | ○ ◐ | M | G | 30-50' | Sp | White or Pink | | |